

Decontamination Certificate:

Please help us protect our health and safety. We depend on you to apply the appropriate decontamination protocols if you have used hazardous materials.

Important. This Decontamination Certificate MUST BE COMPLETED and submitted before a Return Authorization can be processed.

1. Contact Information

From: _____ **Model: *** _____ **Serial Number: *** *(on tag permanently affixed to product)*

Company: _____ Shuttle

Contact: _____ (ULT-25NE) SU105UE

Phone: _____ SU780XLE

Address: _____

City: _____ State: _____ Zip: _____

2. Were samples stored in the freezer?

Check all that apply. If no samples were stored in the freezer, please skip to Item 4.

Freezer was never opened Freezer was opened, never operated
 No samples stored

3. Has the freezer been used to store, or exposed to:

Biohazards If any answer is "yes" please provide material identification information (Material Safety Data Sheet, if applicable) when referring to any hazardous agents used with this product while in your possession.

Radioactive Materials

Chemical or Biochemical substances If any answer is "yes" then provide details, including material ID and decontamination procedure on back and provide contact information below.

Other Hazard

Contact Person: _____ Phone or email: _____

If any of the non-accessible surfaces or compartments of this equipment has been exposed to any hazardous materials through spills, aerosols, etc, please provide details on the back or on a separate sheet detailing how that problem has been addressed.

Comments: _____

4. Signature

"I certify that appropriate decontamination procedures have been applied to this equipment and that exposure to any part of this equipment will comply with all appropriate OSHA standards."

Signed: _____ Date: _____
 Print: _____

Return Authorization Policy: Returned products will not be accepted without a Return Authorization Number. In accordance with industry best practices and corporate safety policies, all returned products MUST BE DECONTAMINATED prior to return. A completed DECONTAMINATION CERTIFICATE signed by your laboratory safety officer or other person authorized to certify decontamination of the product identified in the RETURN AUTHORIZATION NUMBER must be affixed to the outside of the shipping container certifying that the returned product is free of biological or chemical hazards associated with its use. In the event the DECONTAMINATION CERTIFICATE is not available and the RETURN AUTHORIZATION NUMBER is not visible, the shipment will be denied and returned to the shipper at shipper's expense.



6000 Poston Road Athens, Ohio 45701, USA t: 740.274.7900 / 855.274.7900 f: 740.274.7901 www.stirlingultracold.com

©2016 Stirling Ultracold, Global Cooling, Inc. All Rights Reserved.
 Specifications subject to change without notice. Refer to www.stirlingultracold.com for the latest specifications.